



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

BENTON

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID:**024909**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

906FT

DRILL DEPTH:

210FT

38N

20W

4

UTM XUTM YDEPTH TO BED:

30FT

488,688.12

4,213,629.27

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****026302**WELL TYPE

Private Well

DRILL DATE:

1967/07/18

TOWNSHIPRANGESECTIONELEVATION:

1,002FT

DRILL DEPTH:

299FT

38N

20W

4

UTM XUTM YDEPTH TO BED:

15FT

487,988.13

4,213,307.27

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

131

LOG ID:**014100**WELL TYPE

Private Well

DRILL DATE:

1955/03/07

TOWNSHIPRANGESECTIONELEVATION:

727FT

DRILL DEPTH:

130FT

38N

22W

4

UTM XUTM YDEPTH TO BED:

25FT

468,828.13

4,213,913.22

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****023545**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

903FT

DRILL DEPTH:

330FT

38N

23W

6

UTM XUTM YDEPTH TO BED:

5FT

455,880.12

4,214,315.22

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

140



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027402**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

800FT

DRILL DEPTH:

1,280FT

39N

21W

5

UTM XUTM YDEPTH TO BED:

845FT

478,579.02

4,224,396.22

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #62W157 - NO SAMPLES DESCRIBED 0-845'S.W.L. (AFTER CASING):**LOG ID:****011862**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1952/00/00

TOWNSHIPRANGESECTIONELEVATION:

903FT

DRILL DEPTH:

257FT

39N

21W

6

UTM XUTM YDEPTH TO BED:

5FT

476,255.02

4,224,836.22

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: formerly in name of Fristoe School District, Rt. 6 - 3 MI E OF HWY 65
ON HWY 35S.W.L. (AFTER CASING):

105

LOG ID:**020508**WELL TYPE

Private Well

DRILL DATE:

1961/00/00

TOWNSHIPRANGESECTIONELEVATION:

1,001FT

DRILL DEPTH:

205FT

39N

22W

12

UTM XUTM YDEPTH TO BED:

25FT

474,008.04

4,222,829.21

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: RT 2, WARSAWS.W.L. (AFTER CASING):**LOG ID:****010229**WELL TYPE

Oil Well

DRILL DATE:

1948/08/01

TOWNSHIPRANGESECTIONELEVATION:

971FT

DRILL DEPTH:

130FT

39N

22W

13

UTM XUTM YDEPTH TO BED:

120FT

474,632.07

4,220,496.21

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: DRY - "NO OIL STAINS"S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010230**WELL TYPE

Oil Well

DRILL DATE: 1948/07/01TOWNSHIP RANGE SECTION

39N

22W

13

ELEVATION: 971FTDRILL DEPTH: 131FTUTM X UTM YDEPTH TO BED: 125FT

474,632.07 4,220,496.21

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: DRY - "NO OIL STAIN"S.W.L. (AFTER CASING):**LOG ID:****024318**WELL TYPE

Private Well

DRILL DATE: 1966/05/03TOWNSHIP RANGE SECTION

39N

22W

2

ELEVATION: 994FTDRILL DEPTH: 335FTUTM X UTM YDEPTH TO BED: 35FT

472,969.02 4,224,900.20

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****007929**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1942//TOWNSHIP RANGE SECTION

39N

22W

23

ELEVATION: 1,001FTDRILL DEPTH: 46FTUTM X UTM YDEPTH TO BED: 12FT

473,569.08 4,219,145.21

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****007930**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1942//TOWNSHIP RANGE SECTION

39N

22W

23

ELEVATION: 1,001FTDRILL DEPTH: 60FTUTM X UTM YDEPTH TO BED: 10FT

473,569.08 4,219,145.21

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007931**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1942//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,001FT
<u>DRILL DEPTH:</u>	60FT	39N	22W	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				473,569.08	4,219,145.21
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	NO ZINC OR LEAD			

LOG ID:**006797**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1941/01/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	875FT
<u>DRILL DEPTH:</u>	266FT	39N	22W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	150FT				472,153.00	4,227,167.20
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	ON HWY 65 9 MI S OF WARSAW			

LOG ID:**014502**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1956/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	878FT
<u>DRILL DEPTH:</u>	400FT	39N	22W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	265FT				471,753.03	4,224,397.20
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	MANY MISSING SAMPLES			

LOG ID:**027939**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1975/06/30	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	919FT
<u>DRILL DEPTH:</u>	610FT	39N	22W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				469,933.02	4,225,569.19
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	LONG SECTION			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
022510

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1963/11/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	679FT
<u>DRILL DEPTH:</u>	120FT	39N	23W	12	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				465,476.05	4,222,774.18
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	10					

REMARKS:

LOG ID:
024092

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1965/11/03	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	835FT
<u>DRILL DEPTH:</u>	350FT	39N	23W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				458,737.07	4,220,686.18
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	125					

REMARKS: NO RESIDUES ABOVE 200'

LOG ID:
007700

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1942/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	675FT
<u>DRILL DEPTH:</u>	84FT	39N	23W	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				463,795.02	4,226,921.16
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: @ BAILEY BRIDGE ON BANK OF OSAGE RIVER; 2 LOGS

LOG ID:
024097

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1966/01/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	883FT
<u>DRILL DEPTH:</u>	375FT	39N	23W	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				460,177.09	4,218,893.19
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	100					

REMARKS: NO RESIDUES ABOVE 150'



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
025397

WELL TYPE
Private Well

DRILL DATE: 1967/06/09

TOWNSHIP RANGE SECTION

ELEVATION: 817FT

DRILL DEPTH: 586FT

39N 23W 3

DEPTH TO BED: 5FT

UTM X UTM Y
462,169.03 4,225,336.16
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: LONG 1 X 2.25 MI SECTION; VERY POOR SAMPLES

S.W.L. (AFTER CASING):

LOG ID:
006550

WELL TYPE
Private Well

DRILL DATE: 1940/11/01

TOWNSHIP RANGE SECTION

ELEVATION: 762FT

DRILL DEPTH: 155FT

40N 20W 14

DEPTH TO BED: 35FT

UTM X UTM Y
490,136.90 4,231,959.29
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 45

LOG ID:
013600

WELL TYPE
Private Well

DRILL DATE: 1954/08/01

TOWNSHIP RANGE SECTION

ELEVATION: 732FT

DRILL DEPTH: 65FT

40N 20W 18

DEPTH TO BED:

UTM X UTM Y
483,630.90 4,233,290.26
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 8

LOG ID:
024477

WELL TYPE
Private Well

DRILL DATE: 1966/09/01

TOWNSHIP RANGE SECTION

ELEVATION: 822FT

DRILL DEPTH: 425FT

40N 20W 5

DEPTH TO BED: 15FT

UTM X UTM Y
486,222.88 4,234,993.27
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: FOR LAKE CABINS, NO PUMP WAS INSTALLED

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
003439

WELL TYPE
Private Well

DRILL DATE: 1935/08/01

TOWNSHIP
40N

RANGE
20W

SECTION
7

ELEVATION: 750FT

DRILL DEPTH: 160FT

DEPTH TO BED: 5FT

UTM X UTM Y
484,911.88 4,234,918.26
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
002600

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1932/07/01

TOWNSHIP
40N

RANGE
20W

SECTION
8

ELEVATION: 755FT

DRILL DEPTH: 162FT

DEPTH TO BED: 55FT

UTM X UTM Y
485,856.89 4,234,096.27
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
003703

WELL TYPE
Private Well

DRILL DATE: 1936/05/09

TOWNSHIP
40N

RANGE
20W

SECTION
8

ELEVATION: 778FT

DRILL DEPTH: 150FT

DEPTH TO BED: 5FT

UTM X UTM Y
486,156.88 4,234,610.27
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: @ Lake View Heights - Well #1

S.W.L. (AFTER CASING): 75

LOG ID:
004922

WELL TYPE
Private Well

DRILL DATE: 1938/06/17

TOWNSHIP
40N

RANGE
20W

SECTION
8

ELEVATION: 743FT

DRILL DEPTH: 325FT

DEPTH TO BED: 10FT

UTM X UTM Y
485,956.88 4,234,404.27
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: @ LAKE VIEW HEIGHTS

S.W.L. (AFTER CASING): 55



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028959**WELL TYPE

Community Public Well

DRILL DATE: 2003/02/21 TOWNSHIP 40N RANGE 20W SECTION 8 ELEVATION: 716FT
DRILL DEPTH: 400FT UTM X 485,656.88 UTM Y 4,234,301.27
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: Fred Beaman (owner); No pump test data submitted
S.W.L. (AFTER CASING): 50

LOG ID:**003434**WELL TYPE

Private Well

DRILL DATE: 1935/07/01 TOWNSHIP 40N RANGE 20W SECTION 9 ELEVATION: 768FT
DRILL DEPTH: 163FT UTM X 487,475.88 UTM Y 4,234,020.28
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: #1 LAKE VIEW HEIGHTS (LOT 223)
S.W.L. (AFTER CASING): 100

LOG ID:**007779**WELL TYPE

Private Well

DRILL DATE: TOWNSHIP 40N RANGE 21W SECTION 13 ELEVATION:
DRILL DEPTH: 114FT UTM X 482,303.92 UTM Y 4,232,404.25
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 7 MI E OF WARSAW
S.W.L. (AFTER CASING):

LOG ID:**026683**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1970/12/01 TOWNSHIP 40N RANGE 21W SECTION 15 ELEVATION: 840FT
DRILL DEPTH: 218FT UTM X 479,217.93 UTM Y 4,232,437.23
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: PREVIOUSLY "TURKEY CREEK RESORT"
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027318**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

843FT

DRILL DEPTH:

530FT

40N

21W

15

DEPTH TO BED:UTM XUTM Y

479,417.92

4,232,637.23

ZONE 15

S.W.L. (BEFORE CASING): 144REMARKS: GLENCO DEVP CO.S.W.L. (AFTER CASING): FT**LOG ID:****006351**WELL TYPE

Private Well

DRILL DATE:

1940/00/00

TOWNSHIPRANGESECTIONELEVATION:

670FT

DRILL DEPTH:

31FT

40N

21W

17

DEPTH TO BED:

5FT

UTM XUTM Y

476,824.93

4,232,766.22

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 10 MI E OF WARSAWS.W.L. (AFTER CASING):**LOG ID:****024944**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1967/05/12

TOWNSHIPRANGESECTIONELEVATION:

776FT

DRILL DEPTH:

700FT

40N

21W

2

DEPTH TO BED:UTM XUTM Y

481,055.89

4,235,338.24

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 119**LOG ID:****005518**WELL TYPE

Private Well

DRILL DATE:

1939/07/01

TOWNSHIPRANGESECTIONELEVATION:

684FT

DRILL DEPTH:

50FT

40N

21W

9

DEPTH TO BED:

6FT

UTM XUTM Y

477,292.92

4,233,700.22

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 25



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027663**WELL TYPE

Community Public Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 719FT
40N 22W 1
DRILL DEPTH: 400FT UTM X UTM Y
DEPTH TO BED: 5FT 472,718.91 4,236,117.18
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: SYCAMORE VALLEY SUBD; NO PRODUCTION OR CONSTRUCTION
S.W.L. (AFTER CASING): DATA

LOG ID:**020819**WELL TYPE

Private Well

DRILL DATE: 1962/04/04 TOWNSHIP RANGE SECTION ELEVATION: 730FT
40N 22W 10
DRILL DEPTH: 190FT UTM X UTM Y
DEPTH TO BED: 10FT 469,226.94 4,234,876.16
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 0.5 MI N OF WARSAW ON HWY 65
S.W.L. (AFTER CASING): 70

LOG ID:**026682**WELL TYPE

Private Well

DRILL DATE: 1970/00/00 TOWNSHIP RANGE SECTION ELEVATION: 740FT
40N 22W 10
DRILL DEPTH: 150FT UTM X UTM Y
DEPTH TO BED: 469,026.94 4,234,672.16
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1.5 MI N OF WARSAW; YIELD - 6 GPM @ 65', 20 GPM @ 120'
S.W.L. (AFTER CASING): 64

LOG ID:**019597**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1961/01/06 TOWNSHIP RANGE SECTION ELEVATION: 660FT
40N 22W 16
DRILL DEPTH: 525FT UTM X UTM Y
DEPTH TO BED: 20FT 468,045.95 4,233,222.16
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: OLD WELL 0-525' DEEPENED (SEE LOG #24888)
S.W.L. (AFTER CASING): 90



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024888**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1961/01/06TOWNSHIP

40N

RANGE

22W

SECTION

16

ELEVATION:

660FT

DRILL DEPTH: 940FTDEPTH TO BED: 20FTUTM X

468,045.95

UTM Y

4,233,222.16

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OLD WELL DEEPEMED (#19597 0-525')S.W.L. (AFTER CASING):**LOG ID:****002310**WELL TYPE

Community Public Well

DRILL DATE: 1930//TOWNSHIP

40N

RANGE

22W

SECTION

17

ELEVATION:

705FT

DRILL DEPTH: 622FTDEPTH TO BED: 5FTUTM X

466,529.96

UTM Y

4,232,755.15

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 1 BLK N, 0.5 BLK W OF COURT HOUSES.W.L. (AFTER CASING):**LOG ID:****009019**WELL TYPE

Community Public Well

DRILL DATE: 1945/12/17TOWNSHIP

40N

RANGE

22W

SECTION

17

ELEVATION:

707FT

DRILL DEPTH: 650FTDEPTH TO BED: 10FTUTM X

466,517.96

UTM Y

4,232,924.15

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: AT ELEVATED TANKS.W.L. (AFTER CASING): 30**LOG ID:****026902**WELL TYPE

Community Public Well

DRILL DATE: 1971/02/01TOWNSHIP

40N

RANGE

22W

SECTION

17

ELEVATION:

698FT

DRILL DEPTH: 1,000FTDEPTH TO BED: 10FTUTM X

466,826.95

UTM Y

4,233,780.15

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007913**WELL TYPE

Private Well

DRILL DATE: 1942/07/01TOWNSHIP RANGE SECTION

40N

22W

18

ELEVATION: 695FTDRILL DEPTH: 167FTUTM XUTM YDEPTH TO BED: 5FT

465,326.97 4,232,619.14

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 0.5 MI W OF WARSAWS.W.L. (AFTER CASING):**LOG ID:****023479**WELL TYPE

Private Well

DRILL DATE: 1965/04/25TOWNSHIP RANGE SECTION

40N

22W

18

ELEVATION: 699FTDRILL DEPTH: 560FTUTM XUTM YDEPTH TO BED:

464,926.96 4,233,227.14

ZONE 15

S.W.L. (BEFORE CASING): 25REMARKS:S.W.L. (AFTER CASING): FT**LOG ID:****006945**WELL TYPE

Private Well

DRILL DATE: 1941/00/00TOWNSHIP RANGE SECTION

40N

22W

2

ELEVATION: 700FTDRILL DEPTH: 44FTUTM XUTM YDEPTH TO BED:

471,317.92 4,236,401.17

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 6 MI NE OF WARSAW @ JACKSON BEACHS.W.L. (AFTER CASING):**LOG ID:****013602**WELL TYPE

Private Well

DRILL DATE: 1955/06/01TOWNSHIP RANGE SECTION

40N

22W

21

ELEVATION: 687FTDRILL DEPTH: 107FTUTM XUTM YDEPTH TO BED: 20FT

468,682.96 4,231,900.17

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 700' S OF OSAGE RIVER BRIDGES.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
013614

WELL TYPE
Private Well

DRILL DATE: 1955/06/01

TOWNSHIP RANGE SECTION

ELEVATION: 683FT

DRILL DEPTH: 130FT

40N

22W

21

DEPTH TO BED:

UTM X UTM Y
468,482.97 4,231,900.17
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 700' W OF WELL #1 (#13602), "NO RADIOACTIVITY"

S.W.L. (AFTER CASING):

LOG ID:
021405

WELL TYPE
Private Well

DRILL DATE: 1962/09/25

TOWNSHIP RANGE SECTION

ELEVATION: 864FT

DRILL DEPTH: 303FT

40N

22W

22

DEPTH TO BED: 10FT

UTM X UTM Y
469,492.97 4,230,833.18
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 100

LOG ID:
025749

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1968/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 842FT

DRILL DEPTH: 650FT

40N

22W

26

DEPTH TO BED:

UTM X UTM Y
470,690.97 4,230,350.18
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
005872

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1940/02/01

TOWNSHIP RANGE SECTION

ELEVATION: 822FT

DRILL DEPTH: 155FT

40N

22W

28

DEPTH TO BED:

UTM X UTM Y
467,621.99 4,229,286.17
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: FILLING STATION ON HWY 65 - NO PRODUCTION ON
CONSTRUCTION DATA

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
026322

WELL TYPE
Community Public Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 804FT
40N 22W 28
DRILL DEPTH: 500FT UTM X UTM Y
DEPTH TO BED: 468,067.98 4,230,537.17
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):

LOG ID:
028729

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1994/09/09 TOWNSHIP RANGE SECTION ELEVATION: 847FT
40N 22W 3
DRILL DEPTH: 1,055FT UTM X UTM Y
DEPTH TO BED: 10FT 469,755.92 4,236,985.16
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: Lost Valley Hatchery Well #4 - or is it Well #2
S.W.L. (AFTER CASING): 5

LOG ID:
028730

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1994/09/09 TOWNSHIP RANGE SECTION ELEVATION:
40N 22W 3
DRILL DEPTH: 1,125FT UTM X UTM Y
DEPTH TO BED: 20FT 469,697.92 4,236,976.16
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: Lost Valley Hatchery Well #5 or Well #3?
S.W.L. (AFTER CASING): 25

LOG ID:
028747

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1995/06/01 TOWNSHIP RANGE SECTION ELEVATION: 715FT
40N 22W 3
DRILL DEPTH: 720FT UTM X UTM Y
DEPTH TO BED: 469,402.92 4,236,774.16
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: Lost Valley Hatchery Well #6
S.W.L. (AFTER CASING): 1



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002601**WELL TYPE

Private Well

DRILL DATE: 1932/07/01TOWNSHIP RANGE SECTION

40N 22W 32

ELEVATION: 771FTDRILL DEPTH: 65FTUTM X UTM YDEPTH TO BED: 35FT465,552.00 4,228,527.16
ZONE 15S.W.L. (BEFORE CASING):REMARKS: NO FORMATION IDENTIFIEDS.W.L. (AFTER CASING):**LOG ID:****026362**WELL TYPE

Private Well

DRILL DATE: 1967/09/08TOWNSHIP RANGE SECTION

40N 22W 34

ELEVATION: 884FTDRILL DEPTH: 258FTUTM X UTM YDEPTH TO BED: 10FT468,864.00 4,228,417.18
ZONE 15S.W.L. (BEFORE CASING):REMARKS: BETWEEN WARSAW & FAIRFIELD OFF HWY 83S.W.L. (AFTER CASING):**LOG ID:****014232**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1955/09/20TOWNSHIP RANGE SECTION

40N 22W 4

ELEVATION: 747FTDRILL DEPTH: 1,406FTUTM X UTM YDEPTH TO BED: 10FT467,972.93 4,237,069.15
ZONE 15S.W.L. (BEFORE CASING):REMARKS: KnightS.W.L. (AFTER CASING):**LOG ID:****028714**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1989/03/15TOWNSHIP RANGE SECTION

40N 22W 4

ELEVATION: 720FTDRILL DEPTH: 1,150FTUTM X UTM YDEPTH TO BED: 25FT468,472.92 4,236,967.15
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: Lost Valley Fish Hatchery Well #1 - observation wellS.W.L. (AFTER CASING): 15



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024135**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1966/02/12TOWNSHIPRANGESECTIONELEVATION:

856FT

DRILL DEPTH: 575FT

40N

22W

7

DEPTH TO BED: 10FTUTM XUTM Y

465,191.95

4,235,645.13

ZONE 15

S.W.L. (BEFORE CASING): 179REMARKS: Well #2S.W.L. (AFTER CASING): FT**LOG ID:****024137**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1965/00/00TOWNSHIPRANGESECTIONELEVATION:

716FT

DRILL DEPTH: 475FT

40N

22W

7

DEPTH TO BED: 20FTUTM XUTM Y

464,291.96

4,234,738.13

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: KAYSINGER DAM BUILDING SITE (TRUMAN DAM)S.W.L. (AFTER CASING):**LOG ID:****026819**WELL TYPE

Private Well

DRILL DATE: 1971/01/26TOWNSHIPRANGESECTIONELEVATION:

717FT

DRILL DEPTH: 480FT

40N

22W

7

DEPTH TO BED: 15FTUTM XUTM Y

464,391.96

4,234,637.13

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: also spelled as: Atkison, Gery F.S.W.L. (AFTER CASING):**LOG ID:****028632**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1984/01/04TOWNSHIPRANGESECTIONELEVATION:

787FT

DRILL DEPTH: 940FT

40N

23W

12

DEPTH TO BED:UTM XUTM Y

463,372.96

4,234,365.13

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: US Army Corps of EngineersS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010333**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1948/06/28TOWNSHIPRANGESECTIONELEVATION:

694FT

DRILL DEPTH: 183FT

40N

23W

13

DEPTH TO BED: 35FTUTM XUTM Y

462,916.97

4,233,093.13

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: Airport Well #1S.W.L. (AFTER CASING): 40**LOG ID:****028498**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1981/04/21TOWNSHIPRANGESECTIONELEVATION:

814FT

DRILL DEPTH: 1,080FT

40N

23W

2

DEPTH TO BED: 15FTUTM XUTM Y

461,837.95

4,236,727.11

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: U.S. Army Corps of EngineersS.W.L. (AFTER CASING):**LOG ID:****012443**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1953/11/11TOWNSHIPRANGESECTIONELEVATION:

870FT

DRILL DEPTH: 375FT

40N

23W

21

DEPTH TO BED: 15FTUTM XUTM Y

458,962.99

4,232,224.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: Reorganized School District #10 - 4 MI W OF OPPORTUNITY FARMS.W.L. (AFTER CASING): 190**LOG ID:****007267**WELL TYPE

Private Well

DRILL DATE: 1941/00/00TOWNSHIPRANGESECTIONELEVATION:

868FT

DRILL DEPTH: 273FT

40N

23W

22

DEPTH TO BED: 6FTUTM XUTM Y

460,238.99

4,232,008.12

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 5 MI SW OF WARSAW ON HWY 35 @ OPPORTUNITY FARMS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
020798

WELL TYPE
Private Well

DRILL DATE: 1962/03/16

TOWNSHIP RANGE SECTION
40N 23W 24

ELEVATION: 685FT

DRILL DEPTH: 335FT

UTM X UTM Y

DEPTH TO BED: 15FT

462,954.98 4,232,398.13
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: FLOWS 11 GPM; TOMAHAWK VILLAGE

S.W.L. (AFTER CASING):

LOG ID:
028303

WELL TYPE
Community Public Well

DRILL DATE: 1979/08/28

TOWNSHIP RANGE SECTION
40N 23W 26

ELEVATION: 804FT

DRILL DEPTH: 540FT

UTM X UTM Y

DEPTH TO BED: 25FT

461,582.00 4,230,531.13
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: W OF WARSAW ON HWY 7 TO HWY KK, S 2 MILES

S.W.L. (AFTER CASING):

LOG ID:
028245

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1979/05/17

TOWNSHIP RANGE SECTION
40N 23W 3

ELEVATION: 815FT

DRILL DEPTH: 650FT

UTM X UTM Y

DEPTH TO BED: 20FT

460,538.96 4,236,070.10
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: POOR SAMPLES

S.W.L. (AFTER CASING):

LOG ID:
028510

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1981/02/23

TOWNSHIP RANGE SECTION
40N 23W 3

ELEVATION: 853FT

DRILL DEPTH: 1,150FT

UTM X UTM Y

DEPTH TO BED:

460,409.96 4,237,058.10
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: US Army Corps of Engineers

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007143**WELL TYPE

Private Well

DRILL DATE: 1941/00/00TOWNSHIP RANGE SECTIONELEVATION: 676FTDRILL DEPTH: 100FT

40N

23W

32

DEPTH TO BED:UTM X UTM Y
456,478.03 4,228,107.12
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 10 MI SW OF WARSAW, 1 MI E OF WHITE SULPHUR SPRINGS;
"CAN'T LOCATE"S.W.L. (AFTER CASING):**LOG ID:****007144**WELL TYPE

Private Well

DRILL DATE: 1941/00/00TOWNSHIP RANGE SECTIONELEVATION: 807FTDRILL DEPTH: 80FT

40N

23W

33

DEPTH TO BED: 46FTUTM X UTM Y
457,796.02 4,228,045.13
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 0.75 MI E OF #7143 - COULD NOT LOCATES.W.L. (AFTER CASING):**LOG ID:****017218**WELL TYPE

Private Well

DRILL DATE: 1958/05/26TOWNSHIP RANGE SECTIONELEVATION: 760FTDRILL DEPTH: 150FT

40N

23W

36

DEPTH TO BED: 20FTUTM X UTM Y
462,723.01 4,228,758.15
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: TD MAY BE ONLY 111' (OWNER)S.W.L. (AFTER CASING): 30**LOG ID:****023753**WELL TYPE

Private Well

DRILL DATE: 1965/04/17TOWNSHIP RANGE SECTIONELEVATION: 800FTDRILL DEPTH: 355FT

40N

23W

4

DEPTH TO BED:UTM X UTM Y
458,810.96 4,237,110.09
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 1 MI S OF RACKET ON HWY 7 AT RED BUD PARKS.W.L. (AFTER CASING): 100



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013081**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

689FT

DRILL DEPTH:

200FT

40N

23W

9

UTM XUTM YDEPTH TO BED:

115FT

458,531.98

4,234,899.09

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):**LOG ID:****028513**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1981/06/02

TOWNSHIPRANGESECTIONELEVATION:

774FT

DRILL DEPTH:

760FT

40N

23W

9

UTM XUTM YDEPTH TO BED:

10FT

458,821.97

4,235,903.09

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

US Army Corps of Engineers

S.W.L. (AFTER CASING):

71

LOG ID:**021611**WELL TYPE

Private Well

DRILL DATE:

1962/07/30

TOWNSHIPRANGESECTIONELEVATION:

720FT

DRILL DEPTH:

200FT

41N

20W

14

UTM XUTM YDEPTH TO BED:

30FT

491,713.80

4,241,468.27

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

30

LOG ID:**006549**WELL TYPE

Private Well

DRILL DATE:

1980/11/15

TOWNSHIPRANGESECTIONELEVATION:

937FT

DRILL DEPTH:

361FT

41N

20W

16

UTM XUTM YDEPTH TO BED:

155FT

487,481.81

4,241,492.24

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

OLD WELL TO 155'; NEAR LAKEVIEW HEIGHTS

S.W.L. (AFTER CASING):

90

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
027056

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 864FT
41N 20W 18
DRILL DEPTH: 100FT
DEPTH TO BED: UTM X UTM Y
484,625.82 4,241,700.23
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 10 MI S OF COLE CAMP
S.W.L. (AFTER CASING):

LOG ID:
023504

WELL TYPE
Private Well

DRILL DATE: 1965/06/07 TOWNSHIP RANGE SECTION ELEVATION: 903FT
41N 21W 7
DRILL DEPTH: 295FT
DEPTH TO BED: 25FT UTM X UTM Y
475,124.84 4,243,941.16
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 100

LOG ID:
028393

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1980/09/04 TOWNSHIP RANGE SECTION ELEVATION: 768FT
41N 22W 33
DRILL DEPTH: 550FT
DEPTH TO BED: 15FT UTM X UTM Y
468,101.91 4,238,832.14
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: US Army Corps of Engineers
S.W.L. (AFTER CASING): 90

LOG ID:
028738

WELL TYPE
Industrial High Capacity Well

DRILL DATE: 1994/09/09 TOWNSHIP RANGE SECTION ELEVATION: 720FT
41N 22W 33
DRILL DEPTH: 1,125FT
DEPTH TO BED: UTM X UTM Y
468,797.91 4,238,157.15
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: Lost Valley Hatchery Well #2
S.W.L. (AFTER CASING): 5 Samples were processed and on file but never logged (JEV 6/11/01)



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027129**WELL TYPE

Private Well

DRILL DATE: 1972/08/10TOWNSHIPRANGESECTIONELEVATION:

858FT

DRILL DEPTH: 290FT

41N

22W

34

DEPTH TO BED: 5FTUTM XUTM Y

469,616.91

4,238,076.15

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: SAMPLES SCANNEDS.W.L. (AFTER CASING): 52**LOG ID:****028739**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1994/09/09TOWNSHIPRANGESECTIONELEVATION:

728FT

DRILL DEPTH: 1,125FT

41N

22W

34

DEPTH TO BED:UTM XUTM Y

469,416.91

4,238,076.15

ZONE 15

S.W.L. (BEFORE CASING): 7 FTREMARKS: Lost Valley Hatchery Well #3
Samples were processed and on file but never logged (JEV 6/11/01)S.W.L. (AFTER CASING): 63 FT**LOG ID:****019244**WELL TYPE

Private Well

DRILL DATE: 1960/09/17TOWNSHIPRANGESECTIONELEVATION:

704FT

DRILL DEPTH: 140FT

41N

23W

28

DEPTH TO BED: 10FTUTM XUTM Y

458,956.95

4,239,538.08

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI E OF RACKET ON HWY 7 ON TEBO RIVERS.W.L. (AFTER CASING): 40**LOG ID:****025177**WELL TYPE

Private Well

DRILL DATE: 1967/00/00TOWNSHIPRANGESECTIONELEVATION:

847FT

DRILL DEPTH: 380FT

41N

23W

32

DEPTH TO BED: 25FTUTM XUTM Y

456,980.96

4,238,485.07

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO DATAS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011792**WELL TYPE

Private Well

DRILL DATE: 1951/03/08TOWNSHIPRANGESECTIONELEVATION:

1,118FT

DRILL DEPTH: 165FT

42N

20W

10

DEPTH TO BED: 45FTUTM XUTM Y

490,112.70

4,252,685.21

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 6 MI E OF COLE CAMP, 2 MI S OF HWY 52S.W.L. (AFTER CASING): 75**LOG ID:****005063**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1938/10/01TOWNSHIPRANGESECTIONELEVATION:

1,005FT

DRILL DEPTH: 108FT

42N

20W

19

DEPTH TO BED: 65FTUTM XUTM Y

484,764.75

4,249,745.19

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: BUTLERS.W.L. (AFTER CASING): 28**LOG ID:****003171**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

943FT

DRILL DEPTH: 174FT

42N

21W

10

DEPTH TO BED: 152FTUTM XUTM Y

480,015.73

4,253,367.15

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 3 MI W OF COLE CAMPS.W.L. (AFTER CASING):**LOG ID:****003169**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

850FT

DRILL DEPTH: 102FT

42N

21W

16

DEPTH TO BED: 80FTUTM XUTM Y

477,755.75

4,251,825.14

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 5 MI SW OF COLE CAMPS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
002639

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 787FT
42N 21W 35
DRILL DEPTH: 112FT UTM X UTM Y
DEPTH TO BED: 100FT 481,455.78 4,247,169.19
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 7 MI S OF COLE CAMP - OWNER UNKNOWN
S.W.L. (AFTER CASING):

LOG ID:
028328

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1980/01/14 TOWNSHIP RANGE SECTION ELEVATION: 940FT
42N 21W 35
DRILL DEPTH: 1,547FT UTM X UTM Y
DEPTH TO BED: 100FT 481,355.79 4,246,453.19
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #LO-5; FROM CORE CHIPS
S.W.L. (AFTER CASING):

LOG ID:
028527

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 790FT
42N 21W 35
DRILL DEPTH: 1,100FT UTM X UTM Y
DEPTH TO BED: 482,055.78 4,246,555.19
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #62W141
S.W.L. (AFTER CASING):

LOG ID:
025626

WELL TYPE
Private Well

DRILL DATE: 1968/02/02 TOWNSHIP RANGE SECTION ELEVATION: 913FT
42N 22W 14
DRILL DEPTH: 195FT UTM X UTM Y
DEPTH TO BED: 40FT 472,453.77 4,253,012.11
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023036**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

927FT

DRILL DEPTH:

340FT

42N

22W

23

DEPTH TO BED:

75FT

UTM XUTM Y

471,469.79

4,251,502.11

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 1 MI N OF LINCOLN CITY LIMITSS.W.L. (AFTER CASING):**LOG ID:****024575**WELL TYPE

Community Public Well

DRILL DATE:

1966/10/01

TOWNSHIPRANGESECTIONELEVATION:

953FT

DRILL DEPTH:

1,225FT

42N

22W

26

DEPTH TO BED:

45FT

UTM XUTM Y

471,503.81

4,249,237.12

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****011375**WELL TYPE

Community Public Well

DRILL DATE:

1950/06/01

TOWNSHIPRANGESECTIONELEVATION:

958FT

DRILL DEPTH:

600FT

42N

22W

27

DEPTH TO BED:

30FT

UTM XUTM Y

470,908.82

4,249,118.12

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

105

LOG ID:**025144**WELL TYPE

Private Well

DRILL DATE:

1967/00/00

TOWNSHIPRANGESECTIONELEVATION:

940FT

DRILL DEPTH:

340FT

42N

22W

27

DEPTH TO BED:

40FT

UTM XUTM Y

469,976.83

4,248,550.12

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 500' N OF LOG # 24322, LINCOLNS.W.L. (AFTER CASING):

90



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006072**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1940/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	838FT
<u>DRILL DEPTH:</u>	115FT	42N	22W	31	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				466,223.85	4,248,372.10
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	9 MI NE OF WARSAW			

LOG ID:**024322**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1966/06/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	929FT
<u>DRILL DEPTH:</u>	650FT	42N	22W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				469,899.83	4,248,353.12
<u>S.W.L. (BEFORE CASING):</u>	82 FT					ZONE 15
<u>S.W.L. (AFTER CASING):</u>	102 FT	<u>REMARKS:</u>	0.5 MI SW OF LINCOLN, YIELD - 75 GPM @ 270'; MANY SKIPS BELOW 175'			

LOG ID:**023755**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1965/08/27	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	960FT
<u>DRILL DEPTH:</u>	495FT	42N	22W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				467,489.79	4,255,394.08
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	SHORT 0.5 X 1 MI SECTION;			

LOG ID:**025196**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1967/10/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	923FT
<u>DRILL DEPTH:</u>	400FT	42N	22W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				466,585.81	4,253,977.08
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	SAMPLES 40-55' OUT OF PLACE			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024372**WELL TYPE

Private Well

DRILL DATE: 1966/08/01TOWNSHIPRANGESECTIONELEVATION:

923FT

DRILL DEPTH: 445FT

42N

22W

8

DEPTH TO BED: 100FTUTM XUTM Y

466,833.80

4,254,925.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 5-6 MI NW OF LINCOLNS.W.L. (AFTER CASING):**LOG ID:****025025**WELL TYPE

Private Well

DRILL DATE: 1967/06/01TOWNSHIPRANGESECTIONELEVATION:

900FT

DRILL DEPTH: 440FT

42N

23W

10

DEPTH TO BED: 35FTUTM XUTM Y

461,702.84

4,255,211.05

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 120**LOG ID:****027279**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

922FT

DRILL DEPTH: 370FT

42N

23W

12

DEPTH TO BED: 60FTUTM XUTM Y

464,935.82

4,253,636.07

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 7 MI NE OF LINCOLNS.W.L. (AFTER CASING):**LOG ID:****024164**WELL TYPE

Private Well

DRILL DATE: 1966/00/00TOWNSHIPRANGESECTIONELEVATION:

824FT

DRILL DEPTH: 560FT

42N

23W

32

DEPTH TO BED: 40FTUTM XUTM Y

457,333.91

4,247,462.05

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021888**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1959/02/16TOWNSHIP

42N

RANGE

23W

SECTION

4

ELEVATION:

877FT

DRILL DEPTH: 240FTDEPTH TO BED: 15FTUTM X

459,549.85

UTM Y

4,255,419.04

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 6 MI FROM WINDSOR ON HWY T, 0.5 MI WS.W.L. (AFTER CASING): 85**LOG ID:****022589**WELL TYPE

Private Well

DRILL DATE: 1963/11/16TOWNSHIP

43N

RANGE

20W

SECTION

12

ELEVATION:

871FT

DRILL DEPTH: 120FTDEPTH TO BED: 20FTUTM X

493,921.62

UTM Y

4,262,254.20

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 1 GPM @ 60', 4 GPM @ 100'S.W.L. (AFTER CASING): 50**LOG ID:****023079**WELL TYPE

Private Well

DRILL DATE: 1964/10/02TOWNSHIP

43N

RANGE

20W

SECTION

35

ELEVATION:

1,017FT

DRILL DEPTH: 82FTDEPTH TO BED: 20FTUTM X

490,823.68

UTM Y

4,255,061.20

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 22**LOG ID:****022587**WELL TYPE

Private Well

DRILL DATE: 1963/11/01TOWNSHIP

43N

RANGE

21W

SECTION

1

ELEVATION:

995FT

DRILL DEPTH: 115FTDEPTH TO BED: 25FTUTM X

484,269.64

UTM Y

4,264,596.15

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: MORAS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
025307

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1967/06/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,061FT
<u>DRILL DEPTH:</u>	215FT	43N	21W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				483,713.64	4,261,731.13
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	70					

REMARKS:

LOG ID:
003170

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	970FT
<u>DRILL DEPTH:</u>	132FT	43N	21W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				481,103.69	4,257,255.14
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: 0.25 MI SW OF COLE CAMP

LOG ID:
025609

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1968/02/13	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	927FT
<u>DRILL DEPTH:</u>	340FT	43N	21W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				476,197.71	4,257,314.11
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: PIPELINE; JCT HWYS 65 & 52

LOG ID:
005699

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1939/08/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,019FT
<u>DRILL DEPTH:</u>	90FT	43N	21W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				481,639.69	4,256,250.14
<u>S.W.L. (BEFORE CASING):</u>	1	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	45	FT				

REMARKS: SW EDGE OF COLE CAMP



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009189**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1946/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,049FT
<u>DRILL DEPTH:</u>	451FT	43N	21W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				482,139.69	4,256,654.15
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	54	<u>REMARKS:</u>	OLD WELL TO 204', DEEPENED 10/1946			

LOG ID:**026936**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1971/06/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,020FT
<u>DRILL DEPTH:</u>	996FT	43N	21W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				481,424.69	4,256,565.14
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	30	<u>REMARKS:</u>	YIELD 135 GPM BEFORE ACIDIZING W/ TOTAL DRAWDOWN			

LOG ID:**004599**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1937/11/06	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,021FT
<u>DRILL DEPTH:</u>	235FT	43N	21W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	165FT				475,284.68	4,262,712.09
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	96	<u>REMARKS:</u>	OLD WELL TO 165'			

LOG ID:**009060**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1945/10/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,029FT
<u>DRILL DEPTH:</u>	187FT	43N	22W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	155FT				474,419.69	4,261,765.09
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	52	<u>REMARKS:</u>	OLD WELL TO 157'			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003996**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1936/11/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	960FT
<u>DRILL DEPTH:</u>	305FT	43N	22W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				471,904.71	4,261,716.08
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> ON 2ND ST, 32' W OF MAIN - MAYBE IN DOWN FAULTED BLOCK			
<u>S.W.L. (AFTER CASING):</u>	77					

LOG ID:**018864**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1960/03/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	971FT
<u>DRILL DEPTH:</u>	550FT	43N	22W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				471,853.71	4,262,076.08
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	60	FT	<u>REMARKS:</u> MAY BE NEAR FAULT			
<u>S.W.L. (AFTER CASING):</u>	98	FT				

LOG ID:**025153**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1967/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	914FT
<u>DRILL DEPTH:</u>	300FT	43N	22W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				468,310.74	4,262,060.06
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> IONIA			
<u>S.W.L. (AFTER CASING):</u>	80					

LOG ID:**023081**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1964/09/29	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	934FT
<u>DRILL DEPTH:</u>	440FT	43N	22W	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				472,896.73	4,257,932.09
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> 6.5 MI N OF LINCOLN, YIELD - 18 GPM @ 110'			
<u>S.W.L. (AFTER CASING):</u>	75					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005169**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

947FT

DRILL DEPTH:

305FT

43N

22W

30

DEPTH TO BED:

244FT

UTM XUTM Y

466,271.78

4,258,660.06

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

85

LOG ID:**027512**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

950FT

DRILL DEPTH:

320FT

43N

22W

31

DEPTH TO BED:

45FT

UTM XUTM Y

466,000.80

4,256,059.07

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: VERY POOR SAMPLESS.W.L. (AFTER CASING):

135

LOG ID:**024761**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

967FT

DRILL DEPTH:

460FT

43N

22W

32

DEPTH TO BED:

100FT

UTM XUTM Y

467,811.78

4,256,795.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LINCOLN; MIXED SAMPLES TO 295'S.W.L. (AFTER CASING):**LOG ID:****026172**WELL TYPE

Private Well

DRILL DATE:

1968/03/18

TOWNSHIPRANGESECTIONELEVATION:

912FT

DRILL DEPTH:

401FT

43N

23W

15

DEPTH TO BED:

35FT

UTM XUTM Y

461,005.80

4,261,078.03

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

163



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021743**WELL TYPE

Private Well

DRILL DATE: 1960/09/01TOWNSHIPRANGESECTIONELEVATION: 917FTDRILL DEPTH: 280FT

43N

23W

22

DEPTH TO BED: 40FTUTM XUTM Y

461,540.80 4,260,473.03

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 4 MI E OF WINDSOR ON HWY 52, 3 1/3 MI S OF 52S.W.L. (AFTER CASING):**LOG ID:****023318**WELL TYPE

Private Well

DRILL DATE: 1965/05/01TOWNSHIPRANGESECTIONELEVATION: 867FTDRILL DEPTH: 580FT

43N

23W

29

DEPTH TO BED: 30FTUTM XUTM Y

457,056.85 4,258,184.02

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**BENTON**